

VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010

3D Relative Risk Profile Comparison
Potential Grounding Accident Frequency

CASE S – DP 415 + Bunkering


Dr. J. Rene van Dorp and Dr. Jason R.W Merrick

November 2013




VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010

P: Base Case 3D Risk Profile All FV - Pot. Ground. Acc. Freq.: 100% of Base Case PGF



VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010

S: DP 415 3D Risk Profile All FV - Pot. Ground. Acc. Freq.: 103% of Base Case PGF



VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010

P: VTRA 2010 - BASE CASE

100.0%

0.3%

58.4%

41.1%

Factor x Average
of Accidents

- > 100.00
- > 10.00
- 10.00
- 3.68
- 2.94
- 2.50
- 2.19
- 1.95
- 1.75
- 1.59
- 1.44
- 1.31
- 1.20
- 1.09
- 1.00
- 0.81
- 0.65
- 0.51
- 0.39
- 0.28
- 0.18
- 0.09
- 0.00

POTENTIAL GROUNDING
FREQUENCY - PGF


11/17/2013

© GW-VCU

10/7/2013

VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010

S: VTRA 2010 - Delta Port - Cont. 67 and Bulk 348 - ALL FV



POTENTIAL GROUNDING FREQUENCY - PGF


11/17/2013

© GW-VCU

11/17/2013


VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010

S: DP 415 3D Risk Profile What-If FV - Pot. Grou. Acc. Fr.: 3% of Base Case PGF



VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010


S: VTRA 2010 - Delta Port - Cont. 67 and Bulk 348 - WhatIf FV



POTENTIAL GROUNDING FREQUENCY - PGF

VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010


DEFINITION OF 15 WATERWAY ZONES



VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010

% Base Case Grounding Frequency - ALL_FV

Waterway Zone:




VESSEL TRAFFIC RISK ASSESSMENT (VTRA) 2010

% Base Case Grounding Frequency - WhatIf

Waterway Zone:

- PS South : +0.0%
- Haro/Boun. : +2.6%
- Islands Trt : +0.1%
- PS North : +0.0%
- ESJF : +0.2%
- Guemes : +0.0%
- Georgia Str. : +0.0%
- Saddlebag : +0.0%
- WSJF : +0.3%
- Rosario : +0.0%
- Tac. South : +0.0%
- SJ Islands : +0.0%
- Sar/Skagit : +0.0%
- ATBA : +0.0%
- Buoy J : +0.0%

+3%



% Base Case Grounding Freq. (GF) - WhatIf

■ S: DP - 415 : 3% (+3%)

■ P: Base Case : 0%